



PRICE LIST

Ref No. RRKL/LP/BCISI/02-1/23
w.e.f. 1st February 2023

THE ONLY INDIAN
WIRE BRAND
TRUSTED BY

90+

COUNTRIES
GLOBALLY



RR KÄBEL
WIRES & CABLES

**AKALMAND BANO,
SAHI CHUNO.**

AKALMAND BANO, SAHI CHUNO.



BUILDING WIRES

RR KÄBEL
WIRES & CABLES

INDIA'S ONLY WIRE WITH
REACH • RoHS
CE • CPR Compliant



HIGHER
INSULATION
RESISTANCE

MORE THAN
101%
CONDUCTIVITY

100%
ELECTROLYTIC
COPPER

SUPEREX FR FR PVC Insulated Single Core Cables



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC Insulated Industrial Cables in voltage grade upto and including 1100 Volts, as per IS 694 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
0.75	24/0.2	1290	24
1.0	14/0.3	1758	20
1.5	22/0.3	2562	12
2.5	36/0.3	4092	12
4.0	56/0.3	5965	8
6.0	84/0.3	8885	4

UNILAY HR FR HR FR PVC Insulated Single Core Cables



RR Kabel makes Single Core unsheathed Multistrand flexible High Conductivity plain annealed copper, HR FR PVC Insulated Industrial Cables in voltage grade upto and including 1100 Volts, as per IS 694 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
1.0	37/0.19	1844	20
1.5	37/0.23	2676	12
2.5	61/0.23	4284	12
4.0	61/0.29	6542	8
6.0	91/0.29	9724	8

FIREX LSOH HALOGEN FREE FLAME RETARDANT 90°C, CROSSLINKED



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, Cross linked Halogen Free Flame Retardant (HFFR) 90° C Insulated Industrial Cables in voltage grade upto and including 1100 volts, as per IS 17048 (HSN Code: 8544)

Size (Sq.mm)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
1.00	14/0.3	2126	20
1.50	22/0.3	2993	12
2.50	36/0.3	4730	12
4.00	56/0.3	6941	8
6.00	84/0.3	10052	4

* FIREX LSOH - Insulation Conforming to HFI XL 90 as per IS 17048

RR KABEL FR HSF / FR-LSH / LSOH-FR



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC/FR-LSH PVC / Thermoplastic Halogen Free Flame Retardant (HFFR) 70°C Insulated Industrial Cables in voltage grade upto and including 1100 Volts (HSN Code: 8544)

RATE / 200 MTR					
Size (Sq.mm)	Configuration	AMPS	RR KABEL FR HSF FR PVC INSULATION As per IS 694	RR KABEL FR-LSH FR-LSH PVC INSULATION As Per IS 694	RR KABEL LSOH-FR Thermoplastic Halogen Free Flame Retardant (HFFR) 70° C Insulation As Per IS 17048
0.75	24/0.2	8	2927	3027	3425
1.0	32/0.2	13	3821	3954	4317
1.5	30/0.25	17	5523	5714	6073
2.5	50/0.25	24	8994	9311	9803
4.0	56/0.3	30	13762	14244	15031
6.0	84/0.3	38	20464	21130	22292

*RR KABEL LSOH-FR: Insulation conforming to HFI TP 70 as per IS 17048

LSOH-FR



RR Kabel makes Multistrand High Conductivity Plain Copper Thermoplastic Halogen Free Flame Retardent (HFFR) 70o C Insulated Single Core Unsheathed Industrial Cables in Voltage Grade Upto and Including 1100 Volts, As Per IS IS 17048 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	AMPS	Unit	Rate	No. of Coils packed in an Outer Box
1.0	32/0.2	13	180 Mtr	3885	12
1.5	30/0.25	17	180 Mtr	5465	8
2.5	50/0.25	24	180 Mtr	8822	6
4.0	56/0.25	30	180 Mtr	13528	4



COMMUNICATION CABLES

RR KÄBEL
WIRES & CABLES

- RATNA CO-X
- RATNA LAN
- RATNA COM
- CCTV CAMERA CABLE
- SPEAKER CABLE

RATNA CO-X



RR Kabel makes Electrolytic grade solid annealed bare copper conductor gas injected physical polyethylene foam insulated, wrapped with Aluminium Mylar tape and Al alloy wire braided, Jelly flooded and PVC Jacketing in Black Colour, Co-Axial Industrial Cables. (HSN Code : 8544)

RG 59 F		RG 6 F		RG 11 F	
90 Mtr.	305 Mtr.	90 Mtr.	305 Mtr.	90 Mtr.	305 Mtr.
1998	6671	2554	8655	5690	19284

RATNA LAN



RR Kabel makes Solid bare copper conductor 4 Pair unshielded twisted pair (UTP) Industrial cables for Computer Lan Network with Grey colour & FR PVC Jacket. (HSN Code : 8544)

CAT 5e		CAT 6	
100 Mtr.	305 Mtr.	100 Mtr.	305 Mtr.
3219	9815	4304	13127

RATNA COM



RR Kabel makes Solid Electrolytic annealed bare copper conductor Industrial Switchboard & Telephone Cables with high density polyethylene insulation, paired, polyester taped, Nylon Rip Cord and Grey colour sheathed with FR PVC, generally conform to "ITD specification S/WS 113 C" (HSN Code : 8544) (Rate/90 Mtr Coil)

Dia	1 Pair	2 Pair	3 Pair	4 Pair	5 Pair	10 Pair	20 Pair
0.5 mm	916	1612	2376	3114	3881	7413	14072

CCTV CAMERA CABLES



RR Kabel makes Annealed Tinned copper conductor, PE Insulated, ATC Braided, Polyester tape screened, PVC outer sheathed Industrial CCTV Camera Cables.(HSN CODE : 8544)

Size	Packing	Rate Per Coil	No. of Coils packed in an Outer Box
3 + 1	90 Mtr.	3765	3
4 + 1	90 Mtr.	4219	3

SPEAKER CABLES



RR Kabel makes Multistrand Annealed bare copper conductor, PVC Insulated Industrial Speaker wires. (HSN CODE : 8544)

Size	Packing	Non Transparent Insulation (Rate/Coil)	Transparent Insulation (Rate/Coil)	No. of Coils packed in an Outer Box
2C x 0.50	90 Mtr.	1834	1889	10
2C x 0.75	90 Mtr.	2614	2692	10
2C x 1.0	90 Mtr.	3298	3397	8
2C x 1.5	90 Mtr.	4757	4900	8
2C x 2.5	90 Mtr.	7576	7803	8



INDUSTRIAL CABLES

RR KÄBEL
WIRES & CABLES

- FLEXIBLE SINGLE CORE CABLE
- FLEXIBLE MULTICORE CABLES
- SHIELDED CABLE
- BRAIDED CABLE

RR KABEL FR HSF / FR-LSH / LSOH-FR



RR Kabel makes single core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC/FR-LSH PVC/ Thermoplastic Halogen free Flame Retardant (HFFR) 70° Insulated Industrial Cables in voltage grade upto and including 1100 Volts (HSN Code : 8544)

RATE / 100 MTR					
Size (Sq.mm)	Configuration	AMPS	RR KABEL FR HSF FR PVC INSULATION As Per IS 694	RR KABEL FR-LSH FR-LSH PVC INSULATION As Per IS 694	RR KABEL LSOH-FR <small>Thermoplastic Halogen Free Flame Retardant (HFFR) 70° C Insulation As Per IS 17048</small>
10.0	140/0.3	52	18055	18685	19836
16.0	126/0.4	70	28579	29576	31240
25.0	196/0.4	88	46843	48717	52464
35.0	276/0.4	112	65524	68145	73386
50.0	396/0.4	146	93443	97179	104654
70.0	360/0.5	216	132424	137721	148315
95.0	480/0.5	262	178143	185267	199518
120.0	608/0.5	310	230501	239723	258163
150.0	750/0.5	355	285737	297168	320025
185.0	931/0.5	415	347510	361411	389210
240.0	1200/0.5	500	457179	475466	512040
300.0	1500/0.5	550	570744	593575	639232
400.0 *	2013/0.5	590	775561	806585	868629
500.0 *	2562/0.5	660	1005312	1045523	1125948
630.0 *	3416/0.5	725	1336353	1389806	1496717

The item marked * are non stock items, refer to marketing dept. for delivery schedule, MOQ, packing etc.

** RR Kabel LSOH-FR: Insulation conforming to HFI TP 70 as per IS 17048

RR KABEL FR HSF SINGLE CORE



Multistrand bright electrolytic annealed bare copper conductor, FR PVC Insulated Unsheathed Single core round flexible Industrial Power Cables for working voltages upto and including 1100 Volts as per IS 694 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	AMPS	Rate Per 100 Mtr
0.5	16/0.2	5	1044
0.75	24/0.2	8	1464
1.0	32/0.2	13	1910
1.5	30/0.25	17	2762
2.5	50/0.25	24	4498
4.0	56/0.3	30	6880
6.0	84/0.3	38	10232

RATNA FLEX MULTICORE CABLES



RR Kabel makes Multistrand bright electrolytic annealed bare copper conductor, PVC Insulated & PVC sheathed multicore round flexible Industrial Cables for working voltages upto and including 1100 Volts, as per IS 694 (HSN CODE : 8544)

Rate per 100 meter											
Size (Sq.mm)	CONFIG.	AMPS	2 CORE	3 CORE	4 CORE	Size (Sq.mm)	CONFIG.	AMPS	2 CORE	3 CORE	4 CORE
0.5	16/0.2	5	3090	4066	5125	25.0	196/0.4	88	105327	149319	196729
0.75	24/0.2	8	4058	5467	6965	35.0	276/0.4	112	-	208519	276321
1.0	32/0.2	13	4986	6755	8648	50.0	396/0.4	146	-	297660	387636
1.5	30/0.25	17	6681	9234	12023	70.0	360/0.5	216	-	418784	552082
2.5	50/0.25	24	10578	14739	19170	95.0	480/0.5	262	-	564930	740744
4.0	56/0.3	30	16167	22679	29708	120.0	608/0.5	310	-	713196	944555
6.0	84/0.3	38	23308	33247	43746	150.0	750/0.5	355	-	905304	1187395
10.0	140/0.3	52	40985	58723	76522	185.0	931/0.5	415	-	1112427	1444565
16.0	126/0.4	70	64029	90428	119151	240.0	1200/0.5	500	-	1445755	1953659
						300.0	1500/0.5	550	-	1803417	2440299

CONTROL CABLES



RR Kabel makes Multistrand bright electrolytic annealed bare copper conductor, PVC Insulated & PVC sheathed multicore round flexible Industrial Control Cables (JZ-500), Voltages Grade 300/500 V. (HSN CODE : 8544)

Rate per 100 meter												
Size (Sq.mm)	CONFIG.	AMPS	5 CORE *	6 CORE *	7 CORE *	8 CORE *	10 CORE *	12 CORE *	14 CORE *	16 CORE *	19 CORE *	24 CORE *
0.5	16/0.2	5	6703	7782	8672	10296	12774	15005	17381	19497	23005	29448
0.75	24/0.2	8	9145	10942	12263	14706	17980	21388	24839	28334	34162	42791
1.0	32/0.2	13	11618	13619	15507	18470	23017	27052	31686	35526	43801	53906
1.5	30/0.25	17	16247	19290	22067	25880	32404	38246	44531	50157	59346	76039
2.5	50/0.25	24	25897	31399	35974	41718	52563	61900	72612	82999	98713	123917
4.0	56/0.3	30	40219	48964	56570	66619	83263	98633	114871	130922	154665	197607
6.0	84/0.3	38	59936	72528	84527	97787	124948	148106	171682	195540	230743	294408
10.0	140/0.3	52	102400	-	-	-	-	-	-	-	-	-
16.0	126/0.4	70	161358	-	-	-	-	-	-	-	-	-

Loading factor for Different Insulation / Sheath * -

FR Insulation	FR Sheath	FR-LSH / HR Insulation	FR-LSH / HR Sheath	LSOH Insulation	LSZH Sheath
5%	5%	10%	10%	35%	25%

The item marked * are non stock items, refer to marketing dept. for delivery schedule, MOQ, packing etc.

SUBMERSIBLE FLAT CABLES

RR Kabel makes 3 Core PVC Insulated and sheathed Industrial Flat cables for Submersible Motor, working voltages upto and including 1100 Volts, as per IS 694



Size (Sq.mm)	Configuration	Rate 100 mtr
1.5	22/0.3	9820
2.5	36/0.3	15310
4.0	56/0.3	22446
6.0	84/0.3	32550
10.0	140/0.3	56678
16.0	126/0.4	87900
25.0	196/0.4	138059

* For XLPE Insulated Submersible Flat Cables (Cu/XLPE/PVC), contact us for pricing and availability. MOQ will be applicable.

ONLY THE BEST SUBMERSIBLE CABLES CAN WITHSTAND THE HARSHTEST CONDITIONS.

- PVC & XLPE Insulation
- Electrolytic Grade
Annealed Copper
- Better Conductivity
- CE, REACH &
RoHS Compliant



AKALMAND BANO, SAHI CHUNO.

SHIELDED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC Insulated, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire and Outer PVC Sheathed Industrial Instrumentation (Shielded) Cables, Voltage Grade 300/500V, as per BS EN 50288-7

SIZE	Size in Sq.mm / Rate Per 100 Meter (in INR)					MOQ (KM)
	0.50	0.75	1.00	1.50	2.50	
2 Core	5474	6642	7735	9895	14553	3
3 Core	6853	8593	10211	13177	20227	3
4 Core	8572	10879	13063	17244	26086	3
5 Core	9851	12776	15515	20787	32397	3
6 Core	11511	15003	18465	24224	-	3
7 Core	12769	16848	20627	27577	42448	3
8 Core	14473	19181	23354	31593	50385	2
9 Core	16002	-	-	-	-	2
10 Core	17746	23594	29067	39876	62488	2
12 Core	20558	27588	34463	46581	74081	2
14 Core	23409	31304	39666	53844	86826	1
16 Core	26548	36360	44830	61040	99095	1
18 Core	29479	40110	50040	68219	111820	1
20 Core	32601	43984	55506	78128	124052	1
22 Core	35896	48551	60744	-	-	1
25 Core	40263	54645	69146	-	-	1
27 Core	43142	58659	73598	-	-	1

Note : Please contact to HO for Technical Data Sheet.

SHIELDED ARMoured CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor PVC / XLPE Insulated, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire, PVC Inner Sheathed, GI Wire / Strip Armour And Outer PVC Sheathed Industrial Instrumentation (Shielded Armoured) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

SIZE	Size in Sq.mm / Rate Per 100 Meter (in INR)					MOQ (KM)
	0.50	0.75	1.00	1.50	2.50	
2 Core	10605	12300	13906	16690	22375	5
3 Core	12646	14845	17293	20710	28982	5
4 Core	14466	17333	20420	24861	36626	3
5 Core	16596	20240	24102	29463	43024	3
6 Core	18530	22932	27354	34652	-	3
7 Core	19802	24604	29281	37840	56735	3
8 Core	22542	27729	32714	42774	63652	3
9 Core	24104	-	-	-	-	3
10 Core	25890	32555	39855	52699	78307	3
12 Core	29273	36940	45475	59569	91942	3
14 Core	32459	41482	52877	68616	102506	3
16 Core	36282	48961	57121	77210	115835	3
18 Core	40897	50133	63857	85763	128875	3
20 Core	45840	55421	69966	97488	142728	2
22 Core	46863	60627	75797	-	-	2
24 Core	-	-	81425	-	-	2
25 Core	51320	66872	83964	-	-	2
27 Core	53934	70611	93176	-	-	2

Note : Please contact to HO for Technical Data Sheet.

BRAIDED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC Insulated, Annealed Tinned Copper Braided with Optimum coverage and Outer PVC sheathed Industrial Braided cables, Voltage Grade 300/500V.

Size in Sq.mm / Rate Per 100 Meter (in INR)						
SIZE	0.25	0.50	0.75	1.00	1.50	2.50
2 Core	7232	8330	9041	10233	13050	19100
3 Core	7781	9292	11230	12928	16868	25076
4 Core	9355	11364	13915	16365	21103	32162
5 Core	11715	13273	16659	19506	25788	40002
6 Core	13802	14659	17626	22130	28956	-
7 Core	14571	15914	20321	24422	32680	50837
8 Core	15614	17949	22749	27815	37752	-
9 Core	-	-	-	-	42235	-
10 Core	18653	22802	28908	34445	46920	-
12 Core	20668	24801	33157	40301	54652	85018
14 Core	-	28410	37840	46621	63405	-
16 Core	-	31983	42660	52476	71389	-
18 Core	29089	35293	47814	58703	79746	-

Size in Sq.mm / Rate Per 100 Meter (in INR)				
SIZE	4.0	6.0	10.0	16.0
2 Core	27575	38001	-	-
3 Core	37855	52654	-	-
4 Core	47658	67149	112729	182367

Note : Please contact HO for Technical Data Sheet.

Note : Minimum Order Quantity (MOQ)

Size - upto 0.25 x 8C - 5 KM, upto 0.25 x 8C to 18C and 0.50 to 1.50 x 7C - 3 KM,
 0.50 x 8C to 4.0 x 4C - 2 KM, 0.50 x 22C to 1.00 x 27C - 2 KM.

PAIR SHIELDED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire and Outer PVC Sheathed Industrial Instrumentation (Pair Shielded) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
1	6628	8119	10	10058	11585	16671	5
2	10858	13196	5	16837	20916	31347	3
3	14054	17742	3	22369	29501	44585	3
4	16346	22817	3	28715	37528	58243	3
5	19921	27817	3	35599	45484	69665	3
6	23247	32673	3	42388	53895	82821	2
8	29843	42012	3	53246	71283	109033	2
10	36732	51037	3	65538	87256	135165	2
12	43708	60992	3	77793	103850	161244	2
14	-	-	-	-	119127	-	1
16	56767	79756	2	103066	138149	215176	1
20	70501	99436	2	127594	171453	267539	1
24	83634	118299	2	152049	204661	319830	1

RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Individual pair and Overall Aluminium Mylar Tape Shielded with ATC Drain Wire and Outer PVC Sheathed Industrial Instrumentation (Pair Shielded) Cables as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
2	14091	16405	5	20093	24902	35523	2
3	18296	22759	5	28214	34803	50333	2
4	23366	28508	3	34280	45306	65881	2
5	27600	34584	3	42986	54991	80400	1
6	32795	41621	2	50398	65278	95675	1
8	43843	54309	2	66603	85796	126194	1
10	53879	66954	1	82269	106236	156628	1
12	63894	79562	1	97918	123053	187006	1
16	84355	102575	1	125329	163896	242600	1
20	104426	127183	1	157076	203765	301993	1
24	124477	151795	1	187611	243614	361366	1
25	-	-	-	195248	-	-	1

Note: The MOQ is given above, please contact HO for Technical Data Sheet.

PAIR SHIELDED ARMOURED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire, PVC Inner Sheathed, GI Wire/Strip Armour and Outer PVC Sheathed Industrial Instrumentation (Overall Pair Shielded Armoured) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
1	10709	12300	10	14038	16690	22375	5
2	16443	19554	5	22886	27947	39016	3
3	19283	23162	3	27715	36079	53812	3
4	23318	28699	3	34362	46577	64640	3
5	26661	33899	3	41351	52990	78073	3
6	30365	38989	3	50437	61845	91672	2
8	39701	48664	3	59270	80281	118562	2
10	43882	57902	3	71622	96763	145203	2
12	51270	68125	3	83819	113549	171631	2
14	-	-	-	-	129605	-	1
16	64709	86932	2	108730	148450	225872	1
20	78813	106651	2	132736	182656	278362	1
24	92125	125366	2	156534	215691	330587	1

RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Individual Pair and Overall Aluminium Mylar Tape Shielded with ATC Drain Wire, PVC Inner Sheathed, GI Wire / Strip Armour and Outer PVC Sheathed Industrial Instrumentation (Individual Pair and Overall Shielded Armoured) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
2	19364	22633	5	26002	31193	41565	2
3	24193	27974	5	32569	40847	52922	2
4	28964	34838	3	41115	51469	67811	2
5	35107	43119	3	50055	59186	83611	1
6	40783	47477	2	55804	69343	98403	1
8	49125	60504	2	72175	89427	127733	1
10	59285	73356	1	87820	109317	156834	1
12	69343	86111	1	103347	129071	185776	1
16	89659	112011	1	133690	169453	245115	1
20	109513	137253	1	165789	208768	302848	1
24	129247	162395	1	196476	247946	360406	1
25	-	-	-	204134	-	-	1

Note: The MOQ is given above, please contact HO for Technical Data Sheet.

TERMS & CONDITIONS:

GST : The above prices are exclusive of GST.

Packing : Order should be in Standard packing.

Freight : Value upto Rs. 2,00,000/- on 'TO-PAY' basis & above on 'PAID' basis

Note : This is Revised Price List, hence all previous Price List & Discount will not be considered.

**As per the international practice which is also adopted by BIS, for all cables with ISI mark the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guidelines and are as per market convention, it may vary within the prescribed limit of IS:8130, with related classes and tables.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.



WORLD OF EXCELLENCE



As a USD 1.25+ billion conglomerate, we are one of the largest, diversified & most prominent brands in the Indian electrical industry, with a noteworthy presence in over 90+ countries across the world. We offer a multi faceted range of quality products through our 10 successfully operating companies, 43 marketing offices and 15 manufacturing facilities.

At RR Global, we continue to innovate to ensure only the finest products reach our customers.



Ram Ratna House, Utopia City, P. B. Marg, Worli, Mumbai - 400 013.

T: +91 - 22 - 2494 9009 / 2492 4144 • **F:** +91 - 22 - 2491 2586 • **E:** mumbai.rrkabel@rrglobal.com

Alembic Business Park (W), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003

T : +91-265-6830 800 • **E:** vadodara.rrkabel@rrglobal.com

R R KABEL LIMITED

Regd. Office : Ram Ratna House, Utopia City, P. B. Marg, Worli, Mumbai - 400 013.

Ahmedabad : 079-4900 0100, **Bengaluru :** 080-4125 0079 / 4090 2221, **Bhubaneswar :** 09776 060 012,
Chennai : 044-2829 2329 / 2429, **Coimbatore :** 09025 168 457, **Ernakulam :** 0484-2378 783,
Guwahati : 07227 004 919, **Indore :** 0731-3515 577, **Jaipur :** 0141-2741 417, **Jalandhar :** 0181-2910 637,
Kolkata : 033-6607 1233, **Lucknow :** 0522-3516 188 / 89, **Madurai :** 0452-4370 340,
New Delhi : 0124-6549 100, **Pune :** 08956 811 100, **Raipur :** 0771-2971 518, **Secunderabad :** 040-27804 098,
Silvassa : 0260-2641 332 / 333, **Surat :** 09376 507 543, **Trichy :** 08939 830 338.

www.rrkabel.com • www.rrglobal.com

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
RoHS = Restriction of Hazardous Substances | **CE** = Conformite Europeenne
ISI = Indian Standard Institution